

## SPECIFICATION SHEET

VERSION	4	VERSION DATE	19/09/22	PRINT DATE	29/01/26
---------	---	--------------	----------	------------	----------

PRODUCT	METHYL CEDRYL CETONE (MCK)
APPLICATIONS	Industrial raw material not intended for direct use.
IUPAC NAME	CEDR-8-ENYL METHYL KETONE
SYNONYMS	ACETYL CEDRENE, LIXETONE, WOODYFLOOR, LIGNOFIX, MCK
FORMULA	C <sub>17</sub> H <sub>26</sub> O
MOLECULAR WEIGHT	246
CAS	32388-55-9
EINECS	251-020-3
TARIFF NUMBER	2914290090
KOSHER CERTIFICATE	AVAILABLE ON REQUEST

## SPECIFICATIONS

VERSION	4	VERSION DATE	19/09/22
---------	---	--------------	----------

ASPECT AT 20°C	SLIGHT VISCOUS CLEAR LIQUID
COLOUR	GREENISH YELLOW TO BROWN
ODOUR	WOODY, MUSK UNDERTONE. LONG LASTING
DENSITY AT 20°C (g / ml)	0,996–1,011
DENSITY 25/25	-
REFRACTIVE INDEX nD20	1,5160–1,5220
REFRACTIVE INDEX nD25	-
OPTICAL ROTATION (°)	/
BOILING POINT (°C)	-
FLASH POINT (°C)	100
ASSAY (% GC)	35 - 75%; TOTAL KETONES >75%
ACID VALUE (mg KOH/g)	< 2
SOLUBILITY	INSOLUBLE IN WATER
VAPOUR PRESSURE	NOT DETERMINED
OTHER SOLUBILITIES	SOLUBLE IN ETHANOL

## STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.

### PRODASYNTH SAS

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z

PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynt.com