

## SPECIFICATION SHEET

VERSION 3      VERSION DATE 19/09/22      PRINT DATE 29/06/26

PRODUCT ETHYL LINALOOL  
APPLICATIONS Industrial raw material not intended for direct use.  
IUPAC NAME 3,7-DIMETHYL-1,6-NONADIEN-3-OL

FORMULA  $C_{11}H_{20}O$   
MOLECULAR WEIGHT 168,28  
CAS 10339-55-6  
EINECS 233-732-6  
FEMA -  
CoE -  
TARIFF NUMBER 2905299090

## SPECIFICATIONS

VERSION 3      VERSION DATE 19/09/22

ASPECT AT 20°C CLEAR MOBILE LIQUID  
COLOUR COLORLESS TO PALE YELLOW  
ODOUR FLORAL, FRESH, WOODY, ROSEWOOD  
DENSITY AT 20°C (g / ml) 0,000-0,865  
DENSITY 25/25 0,858-0,863  
REFRACTIVE INDEX nD20 1,4620-1,4660  
REFRACTIVE INDEX nD25 -  
OPTICAL ROTATION (°) /  
BOILING POINT (°C) 74°C (4 mbar); 106°C (20 hPa)  
MELTING POINT (°C) CA. -50°C  
FLASH POINT (°C) 86  
ASSAY (% GC) SUM ISOMERS > 97%. CIS: 30 - 45%,TRANS: 54 - 69%  
SOLUBILITY SOLUBILITY IN WATER: 563 mg/L  
VAPOUR PRESSURE CA.0,00267 kPa20°C;1,3 mbar59°  
OTHER SOLUBILITIES SOLUBLE IN ETHANOL

OTHER TECHNICAL DATA ARTIFICIAL SUBSTANCE, NOT REPORTED AS BEING FOUND IN NATURE. NOT ALLOWED TO BE USED IN FLAVORS.

## STABILITY AND STORAGE

KEEP IN TIGHTLY CLOSED CONTAINER IN A COOL AND DRY PLACE, PROTECTED FROM LIGHT. WHEN STORED FOR MORE THAN 24 MONTHS, QUALITY SHOULD BE CHECKED BEFORE USE.  
250 PPM OF ALPHA-TOCOPHEROL AS ANTIOXIDANT.

WE BELIEVE THE ABOVE INFORMATION TO BE CORRECT BUT WE DO NOT PRESENT IT AS ALL INCLUSIVE AND AS SUCH SHOULD BE USED AS A GUIDE. IT IS THE SOLE RESPONSIBILITY OF THE RECEIVER OF OUR PRODUCT TO COMPLY WITH EXISTING REGULATIONS AND INSTRUCTIONS.

### PRODASYNTH SAS

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z

PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynt.com