

#### SAFETY DATA SHEET Conforms to Regulation (EC) No. 1907/2006 (REACH)

**RESINOIDE BENJOIN SIAM 50% DPG** 

Revision date: 29-11-2022 Version: 3.2/CLP/EN Print Date: 01-05-2024 Page: 1 / 5

# SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

#### 1.1. Identification of the substance/mixture

Trade name:

CAS Number: CE Number:

**REACH Registration number:** 

**RESINOIDE BENJOIN SIAM 50% DPG** 

All the ingredients of the mixture have been registered or they are exempt from registration.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Raw material for the manufacture of fragrances.

## 1.3. Details of the supplier of the safety data sheet

Company:	Prodasynth	
Address:	4 Av. Joseph Honoré Isnard	
	06130 GRASSE – FRANCE	
Telephone:	(00 33) 4 93 09 00 11	
Fax:	(00 33) 4 22 13 07 38	
E-mail:	info@prodasynth.com	
Fax:	(00 33) 4 22 13 07 38	

#### 1.4. Emergency telephone number

(00 33) 4 93 09 00 11 (8:30 - 17:30) National emergency information services: FR: (+33) 1 45 42 59 59 (24h/7)

# **SECTION 2. HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

Skin Irritant - Category 2 - H315 Serious eye damage - Category 1 - H318 Specific target organ toxicity following repeated exposure - Category 1 - H372 Hazardous to the aquatic environment, long-term (chronic) - Category 3 - H412

## 2.2. Label Elements



Signal Word: Danger

#### Hazard statements:

H315 – Causes skin irritation.

H318 – Causes serious eye damage.

H372 - Causes damage to organs through prolonged or repeated exposure.

H412 – Harmful to aquatic life with long lasting effects.

#### **Precautionary statements:**

P260 – Do not breathe dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352+P332+P313 – IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

P305+P351+P338+P310 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P314 – Get medical advice/attention if you feel unwell.

## Substances responsible for the health hazards:

BENZOIC ACID

## 2.3. Other hazards

Product not containing any component that meets the criteria for PBT or vPvB according to Regulation (EC) 1907/2006, Annex XIII. Product not containing any component identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

#### **PRODASYNTH SAS**

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z

PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynth.com



#### SAFETY DATA SHEET Conforms to Regulation (EC) No. 1907/2006 (REACH)

## **RESINOIDE BENJOIN SIAM 50% DPG**

Revision date: 29-11-2022 Version: 3.2/CLP/EN Print Date: 01-05-2024 Page: 2 / 5

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

# 3.2. Mixtures

BENZOIN RESINOID

Hazardous constituents:

Chemical Name	% (w/w)	CAS No. EC No. Index No. REACH Reg. No.	Classification according to Regulation 1272/2008	Specific Concentration Limit, M-factor, ATE, SVHC
BENZOIC ACID	≥25; <i>&lt;</i> 50	65-85-0 200-618-2	Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT RE 1 - H372	ATE (oral): 2565 mg/kg
BENZYL BENZOATE	≥10; <25	120-51-4 204-402-9 607-085-00-9(ATP 31)	Acute Tox. 4 (oral) - H302 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411	ATE (oral): 1160 mg/kg
VANILLIN	≥1; <10	121-33-5 204-465-2	Eye Irrit. 2 - H319	ATE (oral): 3300 mg/kg, ATE (dermal): 2600 mg/kg

See the full text of the hazard statements in section 16.

# **SECTION 4. FIRST-AID MEASURES**

## 4.1. Description of necessary first aid measures

Ingestion:	Rinse mouth with water.
•	Obtain medical advice.
	Keep at rest. Do not induce vomiting.
Eye contact:	In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes and seek medical advice.
Inhalation:	Remove person to fresh air and keep at rest. Seek immediate medical advice.
Skin contact:	Take off immediately all contaminated clothing.
	Thoroughly wash affected skin with soap and water.
	Seek medical attention if symptoms persist.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5. FIRE-FIGHTING MEASURES**

## 5.1. Extinguishing Media

Water spray, carbon dioxide, dry chemical powder or appropriate foam. For safety reasons do not use full water jet.

## 5.2. Special hazards arising from the substance or mixture

Known or Anticipated Hazardous Products of Combustion: Emits toxic fumes under fire conditions.

#### 5.3. Advice for firefighters

High temperatures can lead to high pressures inside closed containers. Avoid inhalation of vapors that are created. Use appropriate respiratory protection. Do not allow spillage of fire to be poured into drains or watercourses. Wear self-contained breathing apparatus and protective clothing.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate surronding areas. Ensure adequate ventilation. Keep unnecessary and unprotected personnel from entering. Do not breathe vapor/spray. Avoid contact with skin and eyes. Information regarding personal protective measures: see section 8.

## 6.2. Environmental precautions

To avoid possible contamination of the environment, do not discharge into any drains, surface waters or groundwaters.

#### **PRODASYNTH SAS**

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynth.com



## **RESINOIDE BENJOIN SIAM 50% DPG**

Revision date: 29-11-2022 Version: 3.2/CLP/EN Print Date: 01-05-2024 Page: 3 / 5

to

# 6.3. Methods and materials for containment and cleaning up

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash). Place in covered containers using non-sparking tools and transport outdoors. Avoid open flames or sources of ignition (e.g. pilot lights on gas hot water heater). Ventilate area and wash spill site after material pickup is complete.

#### 6.4. Reference to other sections

Information regarding exposure controls, personal protection and disposal considerations can be found in sections 8 and 13.

# SECTION 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Do not store or handle this material near food or drinking water. Do not smoke. Avoid contact with the eyes, skin and clothing. Wear protective clothing and use glasses. Observe the rules of safety and hygiene at work. Keep in the original container or an alternative made from a compatible material.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed and preferably full containers in a cool, dry and ventilated area, protected from light. Keep away from sources of ignition (e.g. hot surfaces, sparks, flame and static discharges). Keep away from incompatible materials (see section 10).

#### 7.3. Specific end use(s)

No information available.

# SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### 8.1. Control parameters

Components with occupational exposure limits:

Chemical Name	CAS No.	Norm. 8 hr.				15 min.		
chemicat Name	CA3 NO.		0111.	ppm	mg/m <sup>3</sup>	15 mm.	ppm	mg/m <sup>3</sup>
BENZOIC ACID	65-85-0	DE (Deutschland)	AGW	0.1	0.5	AGW		

## 8.2. Exposure controls

Appropriate engineering controls:	Measures should be taken to prevent materials from being splashed into the body.
	Provide adequate ventilation, according to the conditions of use. Use a mechanical exhaust if required.
Eye/Face protection:	Chemical safety goggles are recommended. Wash contaminated goggles before reuse.
Hand Protection:	Chemical-resistant gloves are recommended. Wash contaminated gloves before reuse.
Body protection:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
Respiratory Protection:	In case of insufficient ventilation, use suitable respiratory equipment.
Environmental exposure controls:	Emissions from ventilation or process equipment should be checked to ensure they comply with environmental protection legislation.
	In some cases, filters or engineering modifications to the process equipment will be necessary to reduce emissions acceptable levels.

## **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Physical sate:	Liquid	
Colour:	Conforms to standard	
Odour:	Conforms to standard	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and range (°C):	Not determined	
Flammability: Not determined		
Lower and upper explosion limit:	Not determined	
Flash point:	81 °C	
Auto-ignition temperature:	Not determined	
Decomposition temperature: Not determined		
pH: Not determine		
Kinematic viscosity:	Not determined	
Solubility:	/	

## **PRODASYNTH SAS**

Capital : 1.100.000 Euros - R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z

PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynth.com



## **RESINOIDE BENJOIN SIAM 50% DPG**

Revision date: 29-11-2022 Version: 3.2/CLP/EN Print Date: 01-05-2024 Page: 4 / 5

Partition coefficient n-octanol/water (log value): Vapour pressure: Density and/or relative density: Relative vapour density: Particle characteristics: Not determined Not determined / Not determined Not determined

# 9.2. Other information

9.2.1. Information with regard to phyical hazard classes:
No information avaliable.
9.2.2. Other safety characteristics:
No information avaliable

# SECTION 10. STABILITY AND REACTIVITY

## 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

## 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

## 10.4. Conditions to Avoid

Conditions to Avoid: Excessive heat, flame or other ignition sources.

#### 10.5. Incompatible materials

Avoid contact with strong acids and bases and oxidizing agents.

## 10.6. Hazardous decomposition products

During combustion may form carbon monoxide and unidentified organic compounds.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	Based on the data available, the criteria for classification are not met.		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/irritation	Causes serious eye damage.		
Respiratory or skin sensitisation	Based on the data available, the criteria for classification are not met.		
Germ cell mutagenicity	Based on the data available, the criteria for classification are not met.		
Carcinogenicity	Based on the data available, the criteria for classification are not met.		
Reproductive toxicity	Based on the data available, the criteria for <mark>classification</mark> are not met.		
STOT-single exposure	Based on the data available, the criteria for classification are not met.		
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.		
Aspiration hazard	Based on the data available, the criteria for classification are not met.		

## 11.2. Information on other hazards

11.2.1. Endocrine disrupting properties:

Product not containing any component identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100. **11.2.2. Other information:** 

No information available

# **SECTION 12. ECOLOGICAL INFORMATION**

## 12.1. Toxicity

Assessment: Harmful to aquatic life with long lasting effects. Experimental/calculated data: No information available.

# 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

No information available.

#### **PRODASYNTH SAS**

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynth.com



## SAFETY DATA SHEET Conforms to Regulation (EC) No. 1907/2006 (REACH)

## **RESINOIDE BENJOIN SIAM 50% DPG**

Revision date: 29-11-2022 Version: 3.2/CLP/EN Print Date: 01-05-2024 Page: 5 / 5

## 12.4. Soil mobility

No information available.

# 12.5. Results of PBT and vPvB assessment

Product not containing any component that meets the criteria for PBT or vPvB according to Regulation (EC) 1907/2006, Annex XIII.

#### 12.6. Endocrine disrupting properties

Product not containing any component identified as having endocrine disrupting properties according to Regulation (EU) 2017/2100.

#### 12.7. Other adverse effects

See also sections 6, 7, 13 and 15 Do not allow to get into waste water or waterways.

# SECTION 13. DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Dispose of in accordance with national and local environmental regulations.

# **SECTION 14: TRANSPORT INFORMATION**

	ADR/RID/ADN	IMDG	IATA-ICAO
14.1. UN Number	UN3082	UN3082	UN3082
14.2. UN Proper Shipping Name			
14.3. Transport Hazard Class(es)	9	9	9
14.4. Packing Group	111	111	111
14.5. Environmental hazards	No	No	No
Additional information			

#### 14.6 Special precautions for user

None known

# 14.7. Maritime transport in bulk according to IMO instruments

No information available

# **SECTION 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No information available

## 15.2. Chemical safety assessment

No information available

# **SECTION 16: OTHER INFORMATION**

#### Full text of the R-phrases, hazard statements and precautionary statements mentioned in section 3:

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

The information included in this safety data sheet is based on the available data at the moment this document is issued. It is meant to be a description of safety requirements for our product and does not stand for a guarantee of its properties. The user is responsible for taking all necessary steps leading to compliance with local rules and legislation.

#### **PRODASYNTH SAS**

Capital : 1.100.000 Euros · R.C.S.: GRASSE B 349 236 372 00026 TVA FR 03 349 236 372 APE 2053 Z PI DES BOIS DE GRASSE 4 AV. JOSEPH HONORÉ ISNARD · 06130 GRASSE · FRANCE · Tel: +33 0493090011 · Fax: +33 0422130738 · e-mail: info@prodasynth.com